Ultimate Tips For Feeding Hay Replacers To Horses | Spillers Feeds

Sarah Nelson

# **Ultimate Tips For Feeding Hay Replacers To Horses | Spillers Feeds**

Published October 19, 2022 SHARE

- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Facebook (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Twitter (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Pinterest (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Download (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Email (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Print (opens in same window)

During winter, many owners will be thinking about supplementing their horse's grazing with additional forage. If poor teeth or clinical conditions such as <u>laminitis</u> mean that hay and haylage are no longer suitable, a **hay replacer** will be essential.

## Choosing a hay replacer

- 1. 1. Where possible, choose short chopped fibres to help extend eating time.
- 2. 2. If your horse is no longer able to manage short chopped fibre, look for feeds that can be soaked to make a mash.
- 3. 3. Some products are only suitable for feeding as partial hay replacers, these include sugar beet and 'pure' alfalfa pellets/ chaffs.
- 4. 4. Avoid grass based products for laminitics as they may contain high levels of water soluble carbohydrate.
- 5. 5. Check whether your chosen hay replacer(s) contains added vitamins and minerals to ensure your horse's diet is balanced without feeding unsuitably high levels of any vitamins and minerals that can be harmful if over-supplied a nutritionist will be able to offer more advice on this.



# Tips for feeding hay replacers

- 1. 1. All hay replacers should be introduced gradually.
- 2. 2. Divide **hay replacers** into a minimum of 4 meals for those without access to grazing. Try to ensure the first and last meals of the day are given as early/ late as possible to avoid long periods without forage overnight.
- 3. 3. Always weigh your feed(s) before soaking.
- 4. 4. As a guide, a <u>Stubbs scoop(open in new tab)</u> of short chopped fibre weighs approximately 300-500g whereas the same scoop of a pelleted option (such as grass nuts or alfalfa pellets) weighs approximately 2kg.
- 5. 5. Field kept horses may need to be turned out individually or separated at meal

times.



# **Feeding rate**

Ideally hay replacers should be fed ad lib although this may not be practical for good doers. Equally, weighing your horse's ration, at least to start with, is a good way of ensuring you are feeding enough. As a general guide, 1kg of hay replacer can be used to replace 1kg of hay. Total forage intake should not be restricted to less than 1.5% of current bodyweight per day on a *dry matter basis*. In practice, this equates to around 8.5-9kg of hay replacer for a 500kg horse with no grazing once you've accounted for the water content (all forage and forage replacers contain some water which doesn't count towards the horse's forage intake). However, these are minimum amounts and some horses and ponies will need more than this - speak to a nutritionist for more advice.

# **SPILLERS** hay replacers

The following products are suitable for feeding as full or partial hay replacers and contain added vitamins and minerals to balance the diet:

SPILLERS <u>SPEEDY-MASH Fibre</u> is quick soaking sugar beet blend ideal for horses and ponies unable to chew short chop fibre. It is also suitable for laminities.

SPILLERS <u>Senior Super-Mash</u> a 'medium calorie', quick soaking fibre blend suitable for those prone to laminitis.

SPILLERS <u>HAPPY HOOF</u> and <u>HAPPY HOOF Molasses Free</u> are low calorie, short chop fibres ideal for laminities.


SPILLERS <u>High Fibre Cubes</u> are low in calories and can be soaked in warm water to make a mash.











For more advice on feeding a hay replacer contact the SPILLERS Care-Line

@media(min-width:768px){ .freeform-story--left img { margin: 0 auto; width: 50%; } } .article-header-image image{ display: none; } @media (min-width: 1024px){ .articleheader-image container{ margin-top: -0.8%; } .freeform-story paragraph{ margin-top: -5%; } } @media (min-width: 767px) and (max-width: 1023px){ .freeformstory\_paragraph{ margin-top: -7%; } } @media (min-width: 275px) and (max-width: 766px){ .freeform-story paragraph{ margin-top: -20%; } } .eyebrow.eyebrow--tt-normal{ padding-top: 2%; } .card-item{ background: #ffffff; background-image: none !important; } .article-card--with-bg-img .bg-image img { width: 100%; height: auto; max-width: 90%; max-height: 200px; margin-top: 10%; margin-left: 5%; } .article-card-heading{ margin-top: 280px; } .article-card-heading\_link{ font-size: 20px; line-height: 37px; } .article-cardparagraph--xs{ display: none; } .search results block .search-results-page.card-grid-results .ajax-card-grid\_item\_wrapper .article-card-heading\_link { margin-bottom: 20% !important; font-size: 20px !important; } article-card--with-bg-img .bg-image img{ width: 100%; height: auto; max-width:90%; max-height:200px; margin-top:10%; } .article-cardheading { margin-top: 212px; } @media (min-width: 1024px){ .article-card .default-link { bottom: 5rem; } .article-card .default-link{ margin-left: 21%; } } @media (min-width: 275px) and (max-width: 1023px) { .article-card .default-link { bottom: 6.5rem; } .articlecard .default-link{ margin-left: 24%; } }

# **Popular Blogs**



## Competing with gastric ulcers: What you need to know

With gastric ulcers thought to affect approximately 60% of competition horses (and up to 50% of leisure horses), it's no surprise that we receive lots of questions about gastric ulcers via our Care-Line.

## The importance of lysine for overweight horses

Cutting calories is essential for weight loss but this shouldn't come at the expense of providing a balanced diet. Lysine is an essential amino acid and is one of several nutrients that may be deficient in a calorie restricted diet.

#### Read now

×

## Breaking down the diet: What ex-racehorses need to thrive

Whilst the stereotypical ex-racehorse might be prone to excitability, have poor feet and struggle to maintain weight that's certainly not the case for all thoroughbreds. Indeed, once settled into their new workloads and routines, many can be incredibly good-doers!

#### Read now

×

## **Everything you need to know about laminitis**

With laminitis a worry for many owners we're here to help you brush up on your knowledge of the potential causes, risk factors and management advice!

#### Read now



#### What to do when laminitis strikes

Being able to spot the signs of laminitis early maximises your horse's chance of recovery. It pays to be vigilant, especially as subtle signs such as slight reluctance to turn or shortening of stride can be easily missed. While laminitis can strike in any season, a 'flush' of rapid grass growth makes spring a high-risk period, and so can turnout on a sunny frosty morning. Brush up your knowledge of the signs and what to do if you suspect your horse/pony may have laminitis in this blog.

#### Read now

**Source URL:** https://www.spillers-feeds.com/feeding-hay-replacers