The truth about protein

Claire Dyett

The truth about protein

Published June 17, 2016 SHARE

- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Facebook (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Twitter (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Pinterest (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Download (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Email (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> .st0 { fill: #00372b; } Print (opens in same window)

When it comes to nutrition, one of the fundamental things we're taught is that proteins are 'the building blocks of life'; essential for growth and repair.

This is true for us and also true for our horses. Proteins consist of long chains of amino acids, 10 of which (there are 22 in total) cannot be synthesised by the horse and therefore must be provided by the diet. This considered, can protein really be responsible for as

many problems as is often believed?

A diet high in protein is often thought to contribute to conditions such as laminitis, colic, tying up and excitability. In truth, it's high levels of starch and sugar that present a nutritional risk factor for such conditions, not protein. Contrary to popular belief, protein is not primary energy horses and any excess in the diet is excreted in urine.



If undigested in the small intestine, excess starch and sugar is rapidly fermented in the large intestine resulting in a rise in acid (predominantly lactic acid) and lowering of gut pH. In turn this upsets the microbial population of the gut and may <u>lead to conditions such as laminitis</u> and <u>colic</u>.

Although just one of many factors that can affect the horse's behaviour, diet can generally lead to or exacerbate excitably in one of two ways. Firstly by oversupplying energy or secondly and in fact most commonly, by providing high levels of starch and sometimes sugar although the reason for this is still not fully understood. So why is it that protein is often considered to be such a problem?

One possible explanation could be the law surrounding feed labels. Protein content must be declared on feed labels, but for many years this was not the case for starch (nowadays it must now be declared if the packaging makes a specific claim, for example; 'low in starch').

In order to maintain a balanced diet, the level of protein in compound feeds increases alongside energy. Consequently, if moving to a higher energy feed resulted in a change of behaviour, laminitis or colic, owners may have thought the increase in protein (and not the hidden increase in starch in cereal based feeds) was responsible.



One of the main causes of concern for many owners is finding lumps and bumps on their horse's skin. Traditionally, these were often diagnosed as 'protein bumps', but in many cases, lumps and bumps are not diet related. True feed allergies are very rare and when they do occur, are the result of a specific type of protein, so reducing the amount fed would be unlikely to help.

Filled legs are also a major concern among owners. When not accompanied by heat or lameness, being stabled for longer periods is generally considered to be one of the most common causes of filled legs. In fact, there is no reason why excess protein should cause filled legs and therefore any accompanying feed changes are likely to be coincidental.

Good nutrition is about balance and vilifying anyone nutrient is not helpful. Protein plays an essential role in the diet and certainly does not deserve the bad press if often receives.

If you have any questions or would like more information about protein, call the <u>SPILLERS Care-Line on 01908 226626.</u>

@media(min-width:768px){ .freeform-story--left img { margin: 0 auto; width: 50%; } }
.article-header-image__image{ display: none; } @media (min-width: 1024px){ .article-header-image__container{ margin-top: -0.8%; } .freeform-story__paragraph{ margin-top:
-5%; } } @media (min-width: 767px) and (max-width: 1023px){ .freeform-story__paragraph{ margin-top: -7%; } } @media (min-width: 275px) and (max-width: 766px){ .freeform-story__paragraph{ margin-top: -20%; } } .eyebrow.eyebrow--tt-normal{ padding-top: 1%; } .eyebrow{ padding-top:2%; } .card-item{ background: #ffffff; background-image: none !important; } .article-card--with-bg-img .bg-image img { width: 100%; height: auto; max-width: 90%; max-height: 200px; margin-top: 10%; margin-left: 5%; } .article-card-heading{ margin-top: 280px; } .article-card-heading__link{ font-size: 20px; line-height: 37px; } .article-card-paragraph--xs{ display: none; }

.search_results_block .search-results-page.card-grid-results .ajax-card-grid__item_wrapper .article-card-heading__link { margin-bottom: 20% !important; font-size: 20px !important; } article-card-with-bg-img .bg-image img{ width: 100%; height: auto; max-width:90%; max-height:200px; margin-top:10%; } .article-card-heading { margin-top: 212px; } @media (min-width: 1024px){ .article-card .default-link { bottom: 5rem; } .article-card .default-link{ margin-left: 21%; } } @media (min-width: 275px) and (max-width: 1023px){ .article-card .default-link { bottom: 6.5rem; } .article-card .default-link { margin-left: 24%; } }

Popular Blogs



Competing with gastric ulcers: What you need to know

With gastric ulcers thought to affect approximately 60% of competition horses (and up to 50% of leisure horses), it's no surprise that we receive lots of questions about gastric ulcers via our Care-Line.

Read now



The importance of lysine for overweight horses

Cutting calories is essential for weight loss but this shouldn't come at the expense of providing a balanced diet. Lysine is an essential amino acid and is one of several nutrients that may be deficient in a calorie restricted diet.

Read now



Breaking down the diet: What ex-racehorses need to thrive

Whilst the stereotypical ex-racehorse might be prone to excitability, have poor feet and struggle to maintain weight that's certainly not the case for all thoroughbreds. Indeed, once settled into their new workloads and routines, many can be incredibly good-doers!

Read now



Everything you need to know about laminitis

With laminitis a worry for many owners we're here to help you brush up on your knowledge of the potential causes, risk factors and management advice!

Read now



What to do when laminitis strikes

Being able to spot the signs of laminitis early maximises your horse's chance of recovery. It pays to be vigilant, especially as subtle signs such as slight reluctance to turn or shortening of stride can be easily missed. While laminitis can strike in any season, a 'flush' of rapid grass growth makes spring a high-risk period, and so can turnout on a sunny frosty morning. Brush up your knowledge of the signs and what to do if you suspect your horse/

pony may have laminitis in this blog.

Read now

Source URL: https://www.spillers-feeds.com/the-truth-about-protein