#SPILLERSScience: Improving the nutrition and care of horses with PPID

×


Danni Twose

#SPILLERSScience: Improving the nutrition and care of horses with PPID

Published December 8, 2022 SHARE

- Facebook (opens in new window)
- Twitter (opens in new window)
- Pinterest (opens in new window)
- Download (opens in new window)
- <?xml version="1.0" encoding="UTF-8"?> Email (opens in new window)
- Print (opens in new window)

Pituitary Pars Intermedia Dysfunction (PPID), also known Cushing's syndrome, is a common condition in senior horses and ponies. PPID can affect the health and welfare of horses and ponies in a number of ways. This is why the scientists behind the SPILLERS brand, together with collaborators around the world, have been working hard to improve our knowledge of how to care for those affected. With the end of the year fast approaching we thought it the ideal time to update you on our progress and share a few insights about what's on the horizon for 2023.



Muscle matters

Earlier this year we, in collaboration with the lead researcher Alisa Herbst and her PhD

supervisor Dr Amanda Adams from the Gluck Equine Research Centre at the University of Kentucky, published a newly developed muscle scoring system 'MASS' in the Journal of Equine Veterinary Science. Muscle atrophy or 'wastage' may compromise welfare and performance but assessing muscle mass is challenging. The scoring system, which was tested in horses of different breeds, age and health status (including horses with PPID), showed good reliability in three key areas – the neck back and hind region. We hope that in the future, this scoring system will offer a simple, more objective and reliable method of assessing and monitoring muscle mass that can be used by vets and horse owners alike. Although a potentially valuable monitoring tool for any adult horse, this system may prove particularly valuable for horses and ponies with PPID given that the condition may be associated with a loss of muscle mass. Further updates on this will come in the Spring.

New survey results: current feeding practices

As part of a major international project to improve the early diagnosis, healthcare, husbandry and nutritional management of PPID we, in collaboration with the University of Melbourne, conducted a survey of feeding practices among owners of horses with PPID . Preliminary results were presented by the lead Author Nicolas Galinelli at the European Society of Veterinary and Comparative Nutrition in September. Interestingly just over 10% of respondents were not feeding any complementary feed or supplements, just forage. Although laminitis was picked out as a major concern when choosing a diet for a PPID horse, cereal-based feed was still selected by 15% of owners in this group. This highlights the need for clear practical information on the most suitable ways to feed the PPID horse. This work is now being prepared for publication.



Senior research programme at the University of Kentucky

The University of Kentucky's Aged Horse Research Program was established by Amanda Adams, associate professor in the Gluck Equine Research Centre. She has established and supports a unique herd of aged horses who have conditions including PPID, obesity, equine metabolic syndrome (EMS) and insulin dysregulation. We first started working with the University of Kentucky in 2013 and our collaborative work focusing on how best to feed and manage the senior horse as well as the horse with insulin dysregulation is set to continue in 2023.

Spreading the word

For scientific research to benefit the health and welfare of horses and ponies, it must be shared and translated into advice that can be implemented by horse owners. To support us in this mission, Dr Pat Harris, Director of Science here at SPILLERS'

- -Co-presented a webinar on care and management of the older horse for World Horse Welfare at the beginning of the year, which included information on this important condition
- -Presented a paper at the American College of Veterinary Internal Medicine (ACVIM) Forum on feeding the PPID horse in June

- -Co-authored a paper on the feeding and management of the PPID horse in the journal Equine Veterinary Education (EVE) which is now available online
- -Gave a presentation on the nutritional management of PPID to veterinary technicians and nurses at the American Association of Equine Practitioners (AAEP) in November.

What's next?

It will be full steam ahead in the New Year with five abstracts (short research summaries) related to PPID due to be presented at the Global Equine Endocrinology Summit in January. Watch this space for more information...

For advice on feeding your senior horse contact the SPILLERS Care-Line

References

Galinelli, N.C., Bamford N, Harris PA, & Bailey SR (2022) Survey of feeding practices among owners of horses with pituitary pars intermedia dysfunction. In proceedings of 26th Congress of the European Society of Veterinary and Comparative Nutrition p124

Galinelli, NC, Bailey, SR, Bamford, NJ and Harris, PA, 2022. Nutritional considerations for the management of equine pituitary pars intermedia dysfunction. *Equine Veterinary Education* in press https://beva.onlinelibrary.wiley.com/doi/abs/10.1111/eve.13593

Herbst, A.C., Johnson, M.G., Gammons, H., Reedy, S.E., Urschel, K.L., Harris, P.A. and Adams, A.A., 2022. Development and evaluation of a muscle atrophy scoring system (MASS) for horses. *Journal of Equine Veterinary Science*, p.103771

@media(min-width:768px){ .freeform-story--left img { margin: 0 auto; width: 30%; } } .article-header-image image{ display: none; } @media (min-width: 1024px){ .articleheader-image container{ margin-top: -0.8%; } .freeform-story paragraph{ margin-top: -5%; } } @media (min-width: 767px) and (max-width: 1023px){ .freeformstory paragraph { margin-top: -7%; } } @media (min-width: 275px) and (max-width: 766px){ .freeform-story paragraph{ margin-top: -20%; } } .eyebrow.eyebrow--tt-normal{ padding-top: 1%; } .eyebrow{ padding-top:2%; } .card-item{ background: #ffffff; background-image: none !important; } .article-card--with-bg-img .bg-image img { width: 100%; height: auto; max-width: 90%; max-height: 200px; margin-top: 10%; margin-left: 5%; } .article-card-heading{ margin-top: 280px; } .article-card-heading_link{ font-size: 20px; line-height: 37px; } .article-card-paragraph--xs{ display: none; } .search_results_block .search-results-page.card-grid-results .ajax-card-grid__item_wrapper .article-card-heading link { margin-bottom: 20% !important; font-size: 20px !important; } article-card--with-bg-img .bg-image img{ width: 100%; height: auto; max-width:90%; maxheight:200px; margin-top:10%; } .article-card-heading { margin-top: 212px; } @media (min-width: 1024px) { .article-card .default-link { bottom: 5rem; } .article-card .default-link { margin-left: 21%; } @media (min-width: 275px) and (max-width: 1023px){ .article-card .default-link { bottom: 6.5rem; } .article-card .default-link { margin-left: 24%; } } .spillerlink{ word-break: break-word; }

Popular Blogs



Competing with gastric ulcers: What you need to know

With gastric ulcers thought to affect approximately 60% of competition horses (and up to 50% of leisure horses), it's no surprise that we receive lots of questions about gastric ulcers via our Care-Line.

Read now



The importance of lysine for overweight horses

Cutting calories is essential for weight loss but this shouldn't come at the expense of providing a balanced diet. Lysine is an essential amino acid and is one of several nutrients that may be deficient in a calorie restricted diet.

Read now



Breaking down the diet: What ex-racehorses need to thrive

Whilst the stereotypical ex-racehorse might be prone to excitability, have poor feet and struggle to maintain weight that's certainly not the case for all thoroughbreds. Indeed, once settled into their new workloads and routines, many can be incredibly good-doers!

Read now



Everything you need to know about laminitis

With laminitis season upon us what better time to brush up on your knowledge of the potential causes, risk factors and management advice?

Read now



What to do when laminitis strikes

Being able to spot the signs of laminitis early maximises your horse's chance of recovery. It pays to be vigilant, especially as subtle signs such as slight reluctance to turn or shortening of stride can be easily missed.

Read now

Source URL:

https://www.spillers-feeds.com/spillersscience-improving-the-nutrition-and-care-of-horses-with-ppid